

**dk; kÿ; v/h{k.k vfhk; Urk]**  
**dñh; ITtk ,oaHk.Mj vkiñrZ e.My&2]**  
**fl pkbZ ,oaty lã k/ku foHkx] nrj insk]**  
**xak fl pkbZ Hkou]ryhckx]y [kuÅ&226029**  
**b&fufonk l puk**

egkefge jkT;iky] mOid dh vlg] ls v/kqLrk{kjh }kjk]1-0 D;w d 102?uehVj ifr?ñk½ ,oa 1-5 D;w d 153?uehVj ifr?ñk½ fudkl {kerk 15eH0 l s 54eH0 gM ds l cefl fcy iEilVt dh dz 0; oLFkk grq vkbD, lOvko 9001&2008@ 2015 iekf.kr em fuedkzvkg] tks jkT; m]ks funskky; @ jkVh; y?kq m]ks fuxe ea vkiñrZ ,oa fuiVku egkfunskky; @ Hkjr l jdkj ds m]ks ea ky; ea l cefl fcy iEilVt ds em fuedk ds #i ea iatñr gk vijforZuh; njka ij fnuad **14-09-2017 dks 14-00 cts rd** fu/kkZjr fcm Qke] ; Fkk 1/1½ /kjkgj /kujkf'k fcm 1/2½ rdudh fcm 1/3½ ikbl fcm ea vkef=r dh tkrh gš tks fuEukñdr le; kuq kj [kshy tk; xhA b&fufonk [kshy tkus dh fdl h Hk frffk dks vodk'k ?k'kr gkus dh n'kk ea b&fufonk vxys dk; ñol ea iñZ fu/kkZjr le; ij [kshy tk; xhA fcm tek djus dk foLrr foqj.k fufonk iã= ea b&fufonk iD; kjesV ocl kbV% **http://etender.up.nic.in.** ij miyC/k gš v/kqLrk{kjh dks b&fufonk dh ifdz k l s lã/kr dkbZ Hk dk; bkgñ fcuk fdl h dkj.k ds fujLr djus dk vf/kdkj l gff{kr gš fcm l Z dk jftLVŠku ; iñiObvDvKfud dkj]kjsku fyO] v'kcd ekx] y[kuÅ vFkok bl dk; Z grq ukfer vU; lã.Fkk ea fu/kkZjr ykxw 'kñd] tek dj iatñr gkus vfuok; Z gš tks fcm l Z jkT; m]ks funskky; @ jkVh; y?kq m]ks fuxe ea fcm x vkbVe grq iatñr ugha gš mudk fuEufyf[kr fcm fl D; ksjVh 1/2D, eOMHO% /kujkf'k] tks **v/h{k.k vfhk; Urk dñh; ITtk ,oaHk.Mj vkiñrZ e.My&2] fl ðfo0 mOid]y [kuÅ** ds uke cu/kd gskh] tek djuk vfuok; Z gskA tks fcm l Z fcm fl D; ksjVh 1/2D, eOMHO% l s NW pgrs gš mudk jkT; m]ks funskky; @ jkVh; y?kq m]ks fuxe ds l {ke ikf/kdkjh }kjk fuxr lã/kr m]ks iatñr.k iek.ki=] NW grq ikfZki= ds l Fk tek djuk vfuok; Z gskA l Fk gh fcm l Z dks **v/fk h vfhk; Urk] bñbñ dñy [kM fl ðfo0] mOid] y[kuÅ** ds uke] y[kuÅ ij ns fñekUM MñV ds : lk eš fcm Mko; eW Ohl ] tks fuEuor-mñr gš fu/kkZjr frffk ,oa le; rd tek djuh vfuok; Z gskh] vU; Fk dh flFkr ea mudh fcm ij dkbZ fopkj ugha fd; k tk; xk fcm [kshy ugha tk; xhA **fufufy[ñr ek-k vñre gš tks id okñrod ek ds vññ ij dz ds le; ijñolr dh tk l drh gš** vññ'kr l kexh dh vkiñrZ fmlip bULVD'ku ds vuq kj l Eiñk mOid ds foHkku du l kbh [k.Mka dks djuh gskA fufonkñk }kjk fufonk iã= ea fu/kkZjr rdudh fo'k'V; k' krñ ea fopyu l Ecu/k Lohdk; Zk ds l Ecu/k ea fdl h idkj nok ekU; ugh gskA fufonr l kexh dh vxstñ ,oa glnh dh fufonk l puk ea fdl h fñkUrñ dh flFkr ea vxstñ dh fufonk l puk ekU; gskA fuEukñdr l kexh fl pkbZ dk; Z grq gš

| dl - | b&fufonk l puk l ã; k  | VlObD&828@7&18  | VlObD&829@7&18   |
|------|--|---|--|
| ,    | 102 ?uehVj ifr?ñk fudkl {kerk 1-0 D;w d fudkl 1/2 ,oa 153 ?uehVj ifr?ñk fudkl {kerk 1-5 D;w d fudkl 1/2 rFk 15eH0 l s 54eH0 gM ds l cefl fcy iEilVt ds fuedk ,oa vkiñrZ          | <b>816 ux</b> 102 ?uehVj ifr?ñk fudkl {kerk 1-0 D;w d fudkl 1/2   | <b>153 ux</b> 153?uehVj ifr?ñk fudkl {kerk 1-5 D;w d fudkl 1/2   |
| ch   | ocl kbV ij fufonk iã= dh miyC/kr dh frffk ,oa le;  | <b>21-08-2017</b> dks 17-00 cts l s   | <b>21-08-2017</b> dks 17-00 cts l s  |
| lh   | fi&fcm ehVx  | <b>28-08-2017</b> dks 11-00 cts l s   | <b>28-08-2017</b> dks 11-00 cts l s  |
| Mh   | fufonk vku&ykb iLrñ djus dh vof/k  | <b>01-09-2017</b> dks <b>11-00</b> cts l s<br><b>14-09-2017</b> dks <b>14-00</b> cts rd   | <b>01-09-2017</b> dks <b>11-00</b> cts l s<br><b>14-09-2017</b> dks <b>14-00</b> cts rd  |
| bZ   | gMZ dkih ds l Fk fufonk iã= 'kñd] fcm fl D; ksjVh b.MLVñt jftLVŠku iek.ki= bD, eOMHO ea NW grq ikfZk iã= ,oa vU; vko'; d vfhkysk l Ecu/kr dk; kÿ; ea tek djus grq fu/kkZjr vof/k | <b>16-09-2017</b> dks <b>14-00</b> cts rd   | <b>16-09-2017</b> dks <b>14-00</b> cts rd  |
| ,Q   | fufonk ds /kjkgj /kujkf'k l s lã/kr Hkx ^, * dks vkuybu [kshy tkus dh frffk ,oa le;  | <b>16-09-2017</b> dks <b>15-00</b> cts  | <b>16-09-2017</b> dks <b>16-00</b> cts   |
| th   | fufonk ds rdudh Hkx l s lã/kr Hkx ^ch* dks vkuybu [kshy tkus dh frffk ,oa le;  | <b>22-09-2017</b> dks <b>15-00</b> cts  | <b>22-09-2017</b> dks <b>16-00</b> cts   |
| ,p   | fufonk ds forrñ; Hkx l s lã/kr Hkx ^l h* dks vkuybu [kshy tkus dh frffk ,oa le;  | <b>10-10-2017</b> dks <b>15-00</b> cts  | <b>10-10-2017</b> dks <b>16-00</b> cts   |
| vkbZ | vkuybu fufonk [kshy tkus dk LFku   | Dk; kÿ; v/h{k.k vfhk; Urk] dñh; ITtk ,oa Hk.Mj vkiñrZ e.My&2] xak fl pkbZ Hkou] ryhckx] y [kuÅ&226029] njHk'k & l ð% 0522&2442475 | Dk; kÿ; v/h{k.k vfhk; Urk] dñh; ITtk ,oa Hk.Mj vkiñrZ e.My&2] xak fl pkbZ Hkou] ryhckx] y [kuÅ& 226029] njHk'k & l ð% 0522&2442475 |
| ts   | fufonk iã= dk eW;  | <b>:- 29]500-00¼ nurñ gtj iW l Sek=½</b>  | <b>:- 23]200-00 ¼rbñ gtj nsl Sek=½</b>   |
| ds   | /kjkgj /kujkf'k 1/2vLV euh fñkftV½   | <b>:- 5]11]500-00 ¼ i; k iW yk[k X; kjg gtj iW l Sek=½</b>  | <b>:- 1]31]500-00 ¼ i; k ,d yk[k bdrñ gtj iW l Sek=½</b>   |
| ,y   | vkiñrZ vof/k Lohdr i= fuxr gkus dh frffk l ½   | <b>90 ñol</b>   | <b>60 ñol</b>  |

**v/h{k.k vfhk; Urk]**  
**dñh; ITtk ,oaHk.Mj vkiñrZ e.My&2]**  
**fl pkbZ ,oaty lã k/ku foHkx] nrj insk]y [kuÅ**

**Office of the Superintending Engineer  
Central Equipment & Stores Procurement Circle-II,  
Irrigation & Water Resources Department, Uttar Pradesh,  
Ganga Sinchai Bhawan, Telibagh,  
LUCKNOW-226029**

**e - Tender Notice**

Online e-bids on prescribed bid forms in three parts namely (i) Earnest Money Bid (ii) Technical bid (iii) Price bid are invited simultaneously by the undersigned on behalf of the Governor of Uttar Pradesh only from ISO: 9001-2008/2015 certified Original Manufacturers, registered with Director of Industries of the State / N.S.I.C./ D.G.S.& D./ Ministry of Industries, Government of India as original manufacturers for SUBMERSIBLE PUMPSETS 1.0 Cusec (102 m<sup>3</sup>/hr.) discharge & 1.5 Cusec (153 m<sup>3</sup>/hr.) discharge from 15Mtr. to 54 Mtr. Head, on firm & fixed price up to **14.00 Hours on 14.09.2017** and shall be opened as per following schedule. In case the date of opening of bids is declared a holiday then the e-bids shall be opened on the next working day at the same time. The details for submission of bids are available in the bid document uploaded on the e-procurement website <http://etender.up.nic.in>. The undersigned reserves the right to cancel any or all the e-bids/ annul the bidding process without assigning any reason. The bidders are required to be registered with U.P. Electronics Corporation Ltd., Ashok Marg, Lucknow **or any other nominated agency by depositing prescribed fee as applicable for participation in the e-Tendering**. Those Bidders who are not registered with Director of Industries of the State/ N.S.I.C for bidding item are required to submit Bid Security(EMD) amount as stated below which should be pledged in favour of the **Superintending Engineer, CESPO-II, I.D.U.P., Lucknow**. But bidders who intend to seek exemption from submitting bid security (EMD) should submit relevant Industries Registration Certificate issued by competent authority with request letter for exemption as well as the bid document fee through Demand Draft payable in favour of the **Executive Engineer, Inventory Control Division, Irrigation Department, U.P., Lucknow** as stated below, in the office of the undersigned, failing which bid shall not be considered/ opened. **The quantity mentioned herein under is tentative and subject to change as per actual requirement at the time of deciding purchase**. Ordered material shall be delivered throughout U.P. at consignee's stores as per dispatch instructions. The tenderer shall have no claim for acceptance of any deviations in technical specifications and technical conditions as stipulated in tender documents. In case of any variation in English and Hindi version of this tender notice, English version shall prevail. Items mentioned below are for irrigation purpose only.

| SI. No | e-Tender Notice no.   | TE- 828/2017-18  | TE- 829/2017-18  |
|--------|---|--|--|
| (a)    | Manufacture and supply of <b>1.0 Cusec (102 m<sup>3</sup>/hr.)</b> discharge & <b>1.5 Cusec (153 m<sup>3</sup>/hr.)</b> discharge & 15 Mtr. To 54 Mtr. Head submersible pumpsets                    | <b>816 Nos.</b> 1.0 Cusec (102 m <sup>3</sup> /hr.) discharge  | <b>153 Nos.</b> 1.5 Cusec (153 m <sup>3</sup> /hr.) discharge  |
| (b)    | Date & time for Availability of the bid document on website.  | <b>21.08.2017</b> From 17.00 Hours onwards   | <b>21.08.2017</b> From 17.00 Hours onwards   |
| (c)    | Pre-bid meeting   | <b>28.08.2017</b> from 11.00 AM  | <b>28.08.2017</b> from 11.00 AM  |
| (d)    | Period for online Bid submission.   | <b>01.09.2017</b> from 11.00 Hours<br><b>14.09.2017</b> up to 14.00 Hours  | <b>01.09.2017</b> from 11.00 Hours<br><b>14.09.2017</b> up to 14.00 Hours  |
| (e)    | Period upto which Hard copy of bid Document Fee, Bid Security/ Industries Registration Certificate for exemption from EMD and other supporting documents will be deposited in the office concerned. | <b>16.09.2017</b> up to 14.00 Hours  | <b>16.09.2017</b> up to 14.00 Hours  |
| (f)    | Online opening date & time of <b>Part "A"</b> i.e. Earnest Money Bid.   | <b>16.09.2017</b> at 15.00 Hours   | <b>16.09.2017</b> at 16.00 Hours   |
| (g)    | Online opening date & time of <b>Part "B"</b> i.e. Technical Bid.   | <b>22.09.2017</b> at 15.00 Hours   | <b>22.09.2017</b> at 16.00 Hours   |
| (h)    | Online opening date & time of <b>Part "C"</b> i.e. Price Bid.   | <b>10.10.2017</b> at 15.00 Hours   | <b>10.10.2017</b> at 16.00 Hours   |
| (i)    | Venue of opening of bid.  | Office of The Superintending Engineer, Central Equipment & Stores Procurement Circle-II, Ganga Sinchai Bhawan, Telibagh, Lucknow(U.P.)-226029. Ph.No. 0522 2442475 | Office of The Superintending Engineer, Central Equipment & Stores Procurement Circle-II, Ganga Sinchai Bhawan, Telibagh, Lucknow(U.P.)-226029. Ph.No. 0522 2442475 |
| (j)    | Bid document fee.   | <b>Rs. 29,500.00 (Rs Twenty Nine Thousand Five hundred only)</b>   | <b>Rs. 23,200.00 (Rs Twenty Three Thousand Two hundred only)</b>   |
| (k)    | Bid Security (Earnest Money Deposit).   | <b>Rs. 5,11,500.00 (Rs Five Lakh Eleven Thousand Five Hundred only)</b>  | <b>Rs. 1,31,500.00 (Rs One Lakh Thirty One Thousand Five Hundred only)</b>   |
| (l)    | Period of Delivery (from the date of issue of acceptance letter)  | <b>90 Days</b>   | <b>60 Days</b>   |

**Superintending Engineer  
Central Equipment & Stores Procurement Circle-II,  
Irrigation & Water Resources Department,  
U.P., Lucknow**