

**dk; k; I gk; d vfhk; Urk i fke
fyIV fl pkbz [k.M] bylgkcn**

vfrvYidkylu bbfufonk I puk I 02/ 10v0i00y0f1 0 [k0b0@2017&18

egkefge jkT; i ky mRRkj insk dh vlg I s fuEufyf[ir dk; k; grq vkuykbz <http://etender.up.nic.in> ds ek/; e I s VSDudy ,oa Qkbu'k; y fcm fl pkbz foHkkx ea oxhdir edfudybyDVhdY Jskh ea iatidr Bclnkjka I s fnuad& 20.12.2017 rd vijkg 12-00 cts rd vkef=r dh trh gA tk; fnuad&21.12.2017 dks mijkg 3-00 cts v/kh{k.k vfhk; Urk] fyIV fl pkbz e.My okjk.kh }kjk xBr I fevr ds Ie{k dk; k; I gk; d vfhk; Urk i fke fyIV fl pkbz [k.M] bylgkcn ea vkuykbz [ksh tk; xhA fcm fnuad&14.12.2017 dks 12-00 cts vijkg I s MkmuykMeviykM fd;k tk I drk gA dk; k; cUn gkus ; k NqVh gkus dh n'kk ea ; g fcm vxys dk; k; fnoI ea ml h I e; [ksh tk; xhA; k NqVh gkus dh n'kk ea ; g fcm vxys dk; k; fnoI ea ml h I e; [ksh tk; xhA

S.N.	Name of Work	Estimated cost in lakh	Earnest money in Rs.	Tender paper cost in Rs.	Due date of work	Registered class
1	Preventive maintenance of Horizontal split casing Kirloskar make 60 cusec Pump No.- 1 installed at Yamuna Pump Canal stage I.	100063	10100	89.00	10 days	D and above.
2	Preventive Maintenance of 750 KW/1005 H.P. Crompton make H.T. Motor no. 3 installed at Yamuna Pump Canal stage I.	100063	10100	89.00	10 days	D and above.
3	Preventive maintenance of Horizontal split casing Kirloskar make 60 cusec Pump No.- 4 installed at Yamuna Pump Canal stage I.	98077	9900	59.00	10 days	D and above
4	Preventive maintenance of Horizontal split casing Kirloskar make 60 cusec Pump No.- 5 installed at Yamuna Pump Canal stage I.	96057	9700	59.00	10 days	D and above
5	Preventive maintenance of Horizontal split casing Kirloskar make 60 cusec pump no.- 6 installed at Yamuna Pump Canal stage I.	94038	9500	59.00	10 days	D and above
6	Preventive Maintenance of 750 KW/1005 H.P. Crompton make H.T. Motor no. 6 installed at Yamuna Pump Canal stage I.	94345	9500	59.00	10 days	D and above
7	Preventive maintenance of Horizontal split casing Kirloskar make 60 cusec Pump No.- 7 installed at Yamuna Pump Canal stage I.	98077	9900	59.00	10 days	D and above
8	Preventive Maintenance of 750 KW/1005 H.P. Crompton make H.T. Motor no. 8 installed at Yamuna Pump Canal stage I.	100063	10100	89.00	10 days	D and above
9	Repairing/ Preventive Maintenance of 24" dia reflux valve No.07 and repairing of leakage of 36 inch dia. delivery pipeline no.07 installed at Yamuna Pump Canal stage I	96940	9700	59.00	10 days	D and above
10	Repairing/ Preventive Maintenance of 24" dia reflux valve No.08 and repairing of leakage of 36 inch dia. delivery pipeline no.08 installed at Yamuna Pump Canal stage I	96940	9700	59.00	10 days	D and above
11	Repairing/ Preventive Maintenance of 24" dia. reflux valve No.09 and repairing of leakage of 36 inch dia. delivery pipeline no.09 installed at Yamuna Pump Canal stage	96940	9700	59.00	10 days	D and above
12	Preventive maintenance of Horizontal split casing M&P make 60 cusec Pump No.- 02 installed at Yamuna Pump Canal stage II.	92018	9300	59.00	10 days	D and above
13	Preventive maintenance of Horizontal split casing M&P make 60 cusec Pump No.- 03 installed at Yamuna Pump Canal stage II.	94038	9500	59.00	10 days	D and above
14	Preventive Maintenance of 750 KW/1005 H.P. Crompton make H.T. Motor no. 04 installed at Yamuna Pump Canal stage II.	100000	10000	59.00	10 days	D and above

I gk; d vfhk; Urk i fke
fyIV fl pkbz [k.M] bylgkcn

- 1- ;g fufonk fufonk mOid ljdkj dh osl kbV <http://etender.up.nic.in> lpuK foHkx dh osl kbV & <http://information.up.nic.in> rFk fl pkbZ foHkx dh osl kbV <http://irrigation.up.nic.in> ij Hkh miyC/k gA
- 2- ;g fufonk lpuK ,oa iia= osl kbV <http://etender.up.nic.in> ij miyC/k gA fufonk ds l fK fl pkbZ foHkx dh fu/wzjr Jskh ea iatdr iek.ki= ftyk/kdkjh }kjk fuxr pfj= iek.k i= (IDT-1) gfl ; r iek.k (IDT-2) Lo?kks.kk 'ki Fk i= (IDT-3) ds leR vfHky{kks dh LdsM ifr osl kbV ij viykm djuk vfuok; Z gskxA
- 3- bl fufonk dh foLrr 'kr i mOid ljdkj dh osl kbV <http://etender.up.nic.in> lpuK foHkx dh osl kbV & <http://information.up.nic.in> rFk fl pkbZ foHkx dh osl kbV <http://irrigation.up.nic.in> ij Hkh miyC/k gA
- 4- Technical Evaluation will be done manually and result will be uploaded online. Financial bid will be accepted only for those bidders who qualify in the technical bid. Financial bidding result will be online.
- 5- fufonkrkvs dks ; iio byDVfufDI dkjijksku fyO y[kuA ea b&VsMfjx ea iatdr gkuk vfuok; Z gA ; iio byDVfufDI dkjijksku fyO y[kuA ds ek; e l s b&VsMfjx grq i f'k{k.k dh dk; bkg h iwZ djuh gskxA
- 6- fufonkrkvs dks VsMj l sy /kujf'k vf/k'kkl h vfHk; Urk} fyw fl pkbZ [k.M] bykgkcn ds uke fMekM MfV rFk IDT-1, IDT-2, IDT-3 fu/wzjr Jskh dk iek.ki= VuZkoj ds ey iek.k i= dk; ky; l gk; d vfHk; Urk iFke fyw fl pkbZ [k.M] bykgkcn ea fnuad&20.12.2017 dks vijkg 12-00 cts rd tek djus gsk} vU; Fk mudh fcm dks Unresponsive ekurs gq dkbZ fopkj ugh fd; k tk; skA
7. fufonk ds /kjgj /kujf'k jk'Vh; dr cbl ds }kjk fuxr dpy , QOMhOvkjO@uO, lOl hO ds : i ea vf/k'kkl h vfHk; Urk} fyw fl pkbZ [k.M] bykgkcn ds uke i f'k{k.k ea ckd rFk bykgkcn ea ns gkuk vfuok; Z gA ftl dh LdsM dki h vkuykbu viykm djuk vfuok; /kjgj /kujf'k@fRHKr gskx ,oa 'kkl ukns l O 52@1439@17&27&f1 &3&07 fofo/k@17 fnuad&09-10-2017 es fufgr ikfo/kkukud kj iek.k i= foHkx ds uke ckd djus ij iklr VhtD'ku uEcj dks Hkh fufonk ds le; osl kbV ij Mkyk tk; sk ,oa fnuad& 20.12.2017 dks vijkg 12-00 cts rd ey ifr@QOMhOvkjO@uO, lOl hO miyC/k djuk vfuok; Z gsk} vU; Fk fufonk Lohdkj ugh dh tk; skA
- 8- iR; d fufonkrk dks Qkbu'k; y fcm (Financial bid/Price bid) ds l fK l fK : 0 100-00 ds tMf'k; y LVkEi i s j ij , d : i ; s dk j l hnh fvdV yxkdj vuqU/k fy[kuk gskx fd nja 90 fnol rd ekU; gskxA bl ds igys fufonk@Qj okil ysus ij /kjgj /kujf'k tCr dj yh tk; skA bl dh LdsM dki h vkuykbu fufonk ds l fK viykm djuh gskxA Bcokj dks fu; ekud kj ns fcdh dj] vk; dj] LVkEi M; Wh] jk; Vh ,oa Je midj nsuk gskxA vuqU/k ds le; fu; ekud kj LVkEi M; Wh tek djuh gskxA
- 9- dk; LFky dh vlo'; drud kj dk; Z dh ek=k ?kVb c-kbZ tk l drh gS ftl ds fy, Bcokj dk dkbZ Dye ekU; ugh gskxA
- 10- fufonkrk dks mijdrud kj dk; LFky dh iwZ tkudkj h fufonk Mkyus l s i mZ Lo; a iklr djuh gskx ,oa dkbZ Hkh vU; tkudkj h dk; ky; l gk; d vfHk; Urk iFke fyw fl pkbZ [k.M] bykgkcn l s fdl h Hkh dk; Z fnol ea iklr dh l drh gA
- 11- fufonkrk fufonk }kjk Mkyus le; ifdz k dh iwZ tkudkj h /fuax vflok fdl h vU; dkj.k l s 'kr i dks iwZ u dj ikus ckr kr gk} tkus ds dkj.k fufonk u i Mks ij foHkx dh dkbZ fTEkSkjh ugh gskxA
- 12- bl fufonk dks iwZ : l l s fujLr djus dk vf/kdkj fcuk dkj.k crk; s v/kgLrk{kjh ds ikl l jf'kr jgskxA
- 13- dkbZ Hkh fufonkrk tks jkT; ljdkj }kjk dkyh l ph ea ntZ gk} og fufonk ifdz k es Hkx ugh ys l dskA
- 14- jkT; dkj dkl y ea iatdr dkbZ Hkh vf/koDrk fufonk ifdz k ea Hkx u ys l dskA vuqU/k@VvK xBr gkus ds ckn Hkh ; fn mDr rF; l kku ea vkrk gS rls lek'ku ,oa l r'fV dh n'k ea , d s vuqU/k@VvS dks le{k vf/kdkjh }kjk l dkj.k vnsk iZ; kfir dj rdky fujLr dj fn; k tk; skA
- 15- , d fufonkrk , d dk; Z dh dpy , d gh fufonk dz dj l dsk ,oa Mky l dskA 'krZ ; r fufonk Lohdkj ugh dh tk; skA
- 16- ; fn dkbZ Hkh fufonkrk fu/wzjr fof/k ,oa ifdz k ds fo:) vuqU/k djus grq l {ke i f'k/kdkjh ij nco@ vl E; d vl j Mkyrk gS rls izuxr fufonkrk ds U; ure ckyh dh l fLfr ea Hkh ml dh fufonk fujLr dh tk l drh gA
- 17- ; g l kku ea vkus ij fd dkbZ fufonkrk }kjk fdl h vU; l Hkfor fufonkrk dks bl fufonk ifdz k ea Hkx ysus ,oa fufonk Mkyus l s jskk x; k gk; ; k /kedh nh x; h gk rls , d s Bcokj ds l fK ; fn vuqU/k gk Hkh x; k gk} rls ml ds l fK fd; k x; k vuqU/k fujLr fd; k tk l drk gA
- 18- fof'kV ifjLFfr; ka ea fufonk tek@ [kysus ds LFku ea ; fn dkbZ ifjorZu gsk gS rls bl dh lpuK fufonk tkek gkus ds rhu fnol i mZ v/kgLrk{kjh ds dk; ky; ; ds lpuK iV ij inf'kr dj nh tk; skA
- 19- pfj= iek.k} gfl ; r iek.k i= o Lo?kks.kk iek.k i= ds Qtiz ; k xyr ik; s tkus ij fufonk fujLr dj fn; s tk; xa rFk l Ecfl/kr Bcokj dk uke bl dkj.k rdky l fonk dkyh l ph ea ntZ dj fn; k tk; skA
- 20- iklr fufonk iia= l s es igys ; g ij h {k.k fd; k tk; sk fd fufonkrks us IDT-1, IDT-2, IDT-3 rFk fu/wzjr ifrHkr /kujf'k Bhd&Bhd miyC/k dj; h gS ; k ughA buea fdl h izdkj dh deh ; k vl arsktud gkus dh l fLfr ea ea fufonkrk }kjk nh x; h njaryukRed foj.k ea vdr ugh dh tk; skA 'kkl ukns l f; k&622@23&12&2012&2 vfmV@08 VhOl hO fnuad&08&6&2012 ds vuq kj dk; k dh foHkxh; njka l s Bcokjka }kjk 1% l s 10% de gkus ij 0-5% ifr 1% dh deh ij rFk 10% l s vf/kd njka ea deh ij ifr 1% dh deh ij 1% vfrfjDr ij Qjed /kjgj /kujf'k ns gskxA mDr /kjgj jk'k vuqU/k ds le; tek djus dh ck; r gskx /mngj.k&t s 11% foHkxh njh l s de nj gkus ij foHkxh; nj dk 11% ij Qjed fl D; k jVh tek djuk gskxA
- 21- l Hkh vfHky{k dh ey ifr fufonk [kysus le; miyC/k djuk vfuok; Z gskxA

- 22- ;fn fdlh izdkj dk;Z iklr djus ds fy, dk;Z dh vuqfur ykxrk ls vr; Ur de njs ns nh tkrh gS rks ,d h fLFkr ea ;fn l {ke vf/kdkjh dks ;g vk'adk gks Bcdnkj }kjk l kfhk; de njø nh tk jgh gS vls bl izdkj xqkorrk ds ds l kfk ekudks ds vuq i dk;Z iwZ fd; k tkuk l EHko ugh gks ik; sk rks l {ke vf/kdkjh dks ;g vf/kdkj gksk fd og fufonkrk l s de njs nsa dk foLrr foj.k eksA ;fn vk'adk dh iqV gks tkrh gS fd fufonkrk }kjk l kfhk; ,d k fd; k tk jgk gS rks xqk&nksk %esjV½ ds vk/kkj ij l {ke vf/kdkjh }kjk l dkj.k vksk iā; kfir dj fufonk fujLr dj /kjkj /kujk'k tCr dh tk l drh gA
- 23- fufonk l s l EcfU/kr tkudkj iklr djus grq l EidZ njhkk'k l ā; k , oa vl; foj.k fuEuor g&
 OFFICE- Assistant Engineer I, Lift Irrigation Division , Allahabad.
 Mobile no. -9454415248/7081013192
 Email.id - rajendrakumarirrigation1982@gmail.com
- 24- iR; d fufonkrk dks fuEu tkudkj dh l dsm ifrfyfi dks ik&DolfyfQdsku Vdudy fcm ds l kfk b&vMfjx ikWj ij viyM fd; k tkuk vfuok; Z gS rFk ml dh l R; kfir ifr; ka fnukad&20.12.2017 dks vijkg 12-00 cts rd dk; ky; l gk; d vfHk; Urk iEke fyIV fl pkbZ [k.M] bykgkcn ea tek djuk vfuok; Z gksk
 1- fiNys rhu l ky dk vk; dj pdrk iek.k i=A
 2- oSk iat; u dh ifr
 3- vutko iek.k i= A
 4- thO, l Ovho iek.k i=A
- 25- dk; Z l EcfU/kr voj vfHk; Urk dh mi fLFkr ea djuk vfuok; Z gkskA

I gk; d vfHk; Urk iEke
 fyIV fl pkbZ [k.M] bykgkcn