

**OFFICE OF THE EXECUTIVE ENGINEER,  
RURAL ENGINEERING DEPARTMENT, DIVISION- AURAIYA**  
**E-Tender Notice**

No.:- 690 /R.E.D./ Account/Tender Notice /2017-18 Date:- 05.12-2017

1. The Executive Engineer, UP RED, Division-Auraiya on behalf of Governor of Uttar Pradesh invites the percentage rate bids from the eligible and approved contractors registered with UP. RED, Class as the case may be.

2.

Ø0 l 0	tu in dk uke	dk; Z dk uke	vkd/fyr /kujkf'k ½y/k[k e½	/kjkjg /kujkf'k ¼ 0 e½	fufonk e½; ¼ 0 e½	dk; Z i wZ djus dh vof/k	vf/k'kkl h vflk; Urk dk; k½; dk irk	v/kh{k.k vflk; Urk dk; k½; dk irk	ftyk f/kdk jh			
1	2	3	4	5	6	7	8	9	10			
		ek0 I kd n Jherh fMEi y ; kno th dh fuf/k ds dk; A										
1	V½\$ k	nkck c½kgk exZ l s Jh foJke fl g b.Vj dkyst epk&cjk½h dya Cykd ,jokdVjk tuin v½\$ k ea l h0l h0 jkm dk fueZk dk; A	9.05	91000.00	725.00 LV\$kujh "k½d l fgr	1 ekg	fodkl Hkou ddi½ ftyk V½\$ k	117d½@19 l o½h; uxj½ dkujg	V½\$ k			
		ek0 I kd n Jh v"kkd d½j n½j s th dh fuf/k ds dk; A										
2		ek0 jkeuxj vVI wea ckcjij & OOm exZ l s ik0ik0 ds vkxs rd b.Vjy½fdak dk fueZk dk; A	18.20	182000.00	2300.00 LV\$kujh "k½d l fgr	2 ekg						
3		Xk½e Hkkl k½ Cykd vthrey ea ckjkr?kj e; okm.Mhoky dk fueZk dk; A	22.44	224400.00	2300.00 LV\$kujh "k½d l fgr	2 ekg						

3. Time allowed for completion of each work is as mentioned in column no. 7 including rainy season.
4. The bids shall remain valid for acceptance for a period of 90 (Ninety) days, from the last date of submission of bids. Bids once submitted cannot be withdrawn.
5. E-tendering is to be adopted for this tender. Bidding document can be downloaded from or uploaded to web site <http://etender.up.nic.in>. The bid document shall be available online from 15-12-2017 to 26-12-2017 and should be submitted online in <http://etender.up.nic.in>.
6. The bidder would be required to register in the web-site. For submission of the bids, the bidder is required to have Digital Signature Certificate (DSC) from one of the authorized Certifying Authorities.
7. The bidders are required to submit ,  
(1) Original demand draft towards the cost of bid document (In favor of "Executive Engineer, Rural Engineering Department, Division-Auraiya") ,  
(2) Original bid security in approved form and  
(3) Original affidavit regarding correctness of information furnished with bid document with Executive Engineer, Rural Engineering Department Division Auraiya, on a date not later than last Date 26-12-2017 and time 4:00 PM for receipt of bids through e-procurement of the Bid, either by registered post or by hand, failing which the bids shall be declared non-responsive.
8. Last Date/ Time for receipt of bids through e-procurement 26-12-2017 upto 12:00 Noon and the technical bid shall be opened on 27-12-2017 from 03:00 PM in Office of the Executive Engineer, Rural Engineering Department, Division Auraiya, Vikas Bhawan Kakor, Auraiya. If the office

happens to be closed on the date of opening of the bid as specified, the bid will be opened on the next working day respectively at the same time and venue and validity of bid will be considered from the original date. The date and time of opening of the financial bid shall be notified on website. The financial bid shall be opened online accordingly.

9. A pre-bid meeting will be held on **22-12-2017 at 12:00 noon** at the office “Executive Engineer, Rural Engineering Department, Division Auraiya” mentioned in column-8 of the table corresponding to the respective work to clarify the issues and to answer questions on any matter that may be raised at that stage as stated in clause-9.2 of instructions to the bidders of bidding documents.
10. Bids must be accompanied with the security of the amount 10% for the work in the table Bid security will have to be in any one of the forms Fixed Deposit Receipt of a scheduled bank, NSC, Post office saving bank issued in favor of concerned “Executive Engineer, Rural Engineering Department, Division-Auraiya”. Bid security shall be valid for 45 days after the validity of the bid.
11. Liability Period will be Two Years from the Date of Completion of the Work.
12. In case of below rate, extra security submitted by the bidder at the time of agreement as per G.O. No. 624/23-12-2012 Audit/08 TC-2 Dated 08-06-2012.
13. A bidder shall not be permitted to bid for work in the division/circle responsible for award and execution of contracts in which his or his spouse’s near relative (Defined as first blood relation, and their spouses) is posted as divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (Both inclusive).
14. No Engineer of Gazetted rank or other gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the State / Central Government is allowed to work as the contractor for a period of 2 years after his retirement from Government Department, without Government permission. This contract is liable to be cancelled if either the contract or any of his employee is found any time to be such a person who had not obtain the permission of the Government as aforesaid before submission of tender or engagement in the Contractor’s Department.
15. Bid document and other detail consisting of qualification, information and eligibility criterion of bidders, plans, specification, drawings, the schedule of quantities of the various classes of works to be done and the set of terms and conditions of contract to be complied with by the contractor can be seen in the office of the Executive Engineer mentioned in column 8 of the table corresponding to the respective work between hours of **11.00A.M. and 4.00 P.M. on any working day between 15-12-2017 to 26-12-2017**. The bid documents shall be available online from **15-12-2017**.
16. Any bidder who is having criminal record is not allowed to participate in the bidding process.
17. Any bidder who is registered with the State Bar Council is not allowed to participate in the bidding process.
18. Bidder must submit all information /Documents on prescribed proforma (T-4, T-5, T-6).
19. Bidder is required to furnish in the form of an affidavit in the prescribed proforma (Annexure–1) all information required for evaluation of the bidding capacity of the Bidder. Each Bidder is required to satisfy himself about his Bidding capacity before submitting his bid. Bidding capacity will be evaluated as mentioned in section-3. Bid of bidder who do not possess the required bidding capacity shall not be accepted in any case.
20. The Contractor having his own C.C. Mixer machine, surface vibrator, joint cutting machine and tanker etc., shall only be qualified for tender.
21. Bidder must submit Physical & Financial Certificate Program Table.
22. Work not transfer for any Bidder, then condition of sanctioned bid transfer so Bond may be reject.
23. Quantities can be vary.
24. Executive Engineer, Rural Engineering Department, Division- Auraiya may reject tender without any reason or any prior information to contractor.
25. Conditional bid will not be accepted.

Executive Engineer  
Rural Engineering Department  
Division– Auraiya

dk; kȳ; vf/k'kkI h vfHk; Urk] xteh.k vfHk; U=.k foHkkx] iȳk.M& vkſſ k

i=kad& 690@xt0v0fo0@yſkk@fufonk I ȳuk@2017&18

fnukad& 05-12-2017

**b&VſMj ukſVI**

- egkefge jkT; iky egkn; ] m0i 0 dh vkj I s vf/k'kkI h vfHk; Urk] xteh.k vfHk; U=.k foHkkx] iȳk.M& vkſſ k }kjk m0i 0] xteh.k vfHk; U=.k foHkkx ea ,]ch]I h]Mh Jskh ea i at h d r B d n k j k e Q e k a I s i f r " k r n j k e ea v / k k ſ y f [ k r d k ; Z g r q b & V ſ M f j a x d s e k / ; e I s f u f o n k v k e i = r d j r s g a f u f o n k n r k d k s I y k g n h t k r h g s f d f c M ea v k b Z V h c h d s D y k n e & 4 ea v i d r f u f o n k g r q U ; u r e ; k k ; r k f t I d s } k j k f u f o n k L o h d r d h t k ; s h d k H k y t h k k a r v / ; ; u d j y a

2-

Ø0 I 0	tu in dk uke	dk; Z dk uke	vkadfyf /kujkf'k ȳ/k[k eĵ	/kjskj /kujkf'k ȳ 0 eĵ	fufonk eW; ȳ 0 eĵ	dk; Z i w k Z d j u s d h v o f / k	vf/k'kkI h vfHk; Urk dk; kȳ; dk i r k	v/kh(k.k vfHk; Urk dk; kȳ; dk i r k	ftyk f/kcdk jh				
1	2	3	4	5	6	7	8	9	10				
<b>ek0 I ka n Jherh fMEiy ; kno th dh fuf/k ds dk; A</b>													
1	Vſſ k	nkkc cſkkg ekxZ I s Jh foJke fl g b.Vj dkyst epk&cjkſh dya Cykd ,jokdVjk tuin vkſſ k ea I h0I h0 jkM dk fueZk dk; A	9.05	91000.00	725.00 LVſkujh "k'd I fgr	1 ekg	fodkl Hlou dldj ftyk Vſſ k	117d@19 I oln; uxj] dkuig	Vſſ k				
<b>ek0 I ka n Jh v"kkd d e j n k j s t h dh fuf/k ds dk; A</b>													
2		ek0 jkeuxj vVI wea ckcjij & QQm ekxZ I s i k0 i k0 ds vkxs rd b.Vjyſdax dk fueZk dk; A	18.20	182000.00	2300.00 LVſkujh "k'd I fgr	2 ekg							
3	Xkke HkkI kſu Cykd vtrey ea ckjkr?kj e; okm.Mhoky dk fueZk dk; A	22.44	224400.00	2300.00 LVſkujh "k'd I fgr	2 ekg								

- i R; d dk; Z dks i w k Z d j u s d h v u e l l ; v o f / k ȳ o ' k k Z d s e k s e d k s I f e f y r d j r s g q ȳ d k n y e ȳ 7 ȳ e a n " k k Z h x ; h g a
- fufonk Lohdkj djus dh oſkrk fufonk ikr djus dh frffk I s rhu ekg ȳ00 fnuȳ gloxhA , d ckj nh xbZ fufonk cki I ughayh tk I drh g a
- mDr dk; Z dh fufonk b&VſMfj a x d s e k / ; e I s v k e i = r d h t k j g h g a f c M M k D ; e ſ V v k u & y k b u f n u k a d 15-12-2017 I s f n u k a d 26-12-2017 r d m i y c / k g s t k s v k u & y k b u <http://etender.up.nic.in> i j g h I c f e V d h t k ; s h A
- fufonk Mkyus grq fufonknrk dks mi j k D r c e & I k b V i j i a t h d j . k d j k u k v f u o k ; Z g a f u f o n k ; a v k u y k b u M k y u s g r q f u f o n k n r k d s i k l f M t h V y f l x u p j I f V I Q d v / I f V D k b a x v F k k j V h } k j k t k j h f M f t V y f l x u p j I f V I Q d v / g k u k v f u o k ; Z g a
- fufonknrk }kjk fuEukadr i i = vf/k'kkI h vfHk; Urk] xteh.k vfHk; U=.k foHkkx] iȳk.M& vkſſ k dks b&Vs Mfj a x d s e k / ; e I s f u f o n k I c f e V d j u s d h v f l u r e f r f f k 26-12-2017 I e ; I k a 4-00 r d i a t h d r M k d v F k o k 0 ; f D r x r : i I s m i y c / k d j k u k v f u o k ; Z g a , d k u f d ; s t k u s d h n " k k e a f u f o n k u k u & f j L i k f u l o ? k k s ' k r d j n h t k ; s h %  
 1ȳ fufonk eW; I e d k h e y f M e k a M M k q V ȳ / k ' k k I h v f H k ; U r k ] x t e h . k v f H k ; U = . k f o H k k x ] i ȳ k . M & v k ſ ſ k d s i { k e ĵ  
 2ȳ f c M f l D ; k s j V h ȳ f c M M k D ; e s V d s v u d k j v u e l l ; : i e ĵ e y ȳ / k s j t u y ȳ e a  
 3ȳ e y " k i F k i = ] f d B d n k j } k j k n h x b Z I e L r I ȳ u k ; a I g h g a " k i F k i = e a f u f o n k n r k } k j k v i u h b & e y v k b D M h o d k m Y y ſ k d j u k v f u o k ; Z g a
- b&i k D ; k j e s V d s e k / ; e I s v k u y k b u f u f o n k M k y u s d h v f l u r e f r f f k 26-12-2017 n k i g j 12%0 c t s r d , o a V d f u d y f c M ] f n u k a d 27-12-2017 d k s v i j k l g - 03%0 c t s I s v f / k ' k k I h v f H k ; U r k ] x t e h . k v f H k ; U = . k f o H k k x ]

i [k.M& vks\$ k] fodkl Hkou ddkj] vks\$ k ea [kksyh tk; schA vf/k"kkI h vfHk; Urk] xkeh.k vfHk; U=.k foHkkx] i [k.M& vks\$ k ds dk; k; ; t\$ k fd dkye 8 ea n"kkz k x; k g\$ ea fufonknkrk/vka 1/4 tks mi fLFkr gkuk pkgrs g\$ ds l e{k [kksyh tk; schA fufonk [kksyus dh frffk ij dk; k; ; ; fn cUn gkrk g\$ rks fufonk; a vxys dk; Zdkjh fnol ea fu/kkZjr le; o LFku ij vkWkybu [kksyh tk; sch rFk fufonk/vka dh o\$krk ey frffk l s ekuh tk; schA forrh; fcM [kksyus dh frffk , oa l e; dh l puk ccl kbM ij miyC/k dj; h tk; schA forrh; fcM vkuybu [kksyh tk; schA

- 9- fufonk/vka l s l EcflU/kr fd l h Hkh tkudkj h o Li 'Vhdj.k grq fufonk Mkys tkus l s i wZ fnukad 22-12-2017 dks 12%00 cts vf/k"kkI h vfHk; Urk] xkeh.k vfHk; U=.k foHkkx] i [k.M& vks\$ k ds dk; k; ; t\$ k fd dkye 8 ea vadr g\$ ea i h fcM ehVax vkgur gksch ftl eadk; Z l s l EcflU/kr dkbZ Hkh tkudkj i klr dh tk l drh g\$
- 10- fufonk ds l kFk /kjkj /kujkf" k 10% t\$ k fd dkye l 0&5 ea n"kkz k x; k g\$ dks ey; i ea fu/kkZjr frffk 1/4 cUnq l 0&7 1/2 ds vuq kj 1/2 Hkh miyC/k djuk vfuok; Z gksk] tks , u-, l-l h-@jk'V, hdr ccl ds , QOMhOvkj 0 ds : i ea "vf/k"kkI h vfHk; Urk] xkeh.k vfHk; U=.k foHkkx] i [k.M& vks\$ k\*\* ds i {k ea cu/kd gksch ftl dks fd fufonk dh c\$krk vof/k 100 fnu 1/2 l s 45 fnu vf/kd dh frffk rd c\$krk gkuk vfuok; Z g\$
- 11- vuqU/k ds l kFk tek /kjkj /kujkf" k dk; Z i wZ gkus ds 02 o'kz mi jkUr gh voeDr dh tk l dschA
- 12- "kkI ukns'k l 0&624@23&12&2012&2 vfMV@08 Vh0l h0&2 fnukad 08-06-2012 ea fufgr ikfo/kkukud kj fcyks i fr"kr nj ij vfrfjDr fl D; ksjVh vuqU/k xBu ds l e; yh tk; schA
- 13- , d s fufonknkrk ftuds l xs l EcU/kh ; k nã fr ds utnhdh fj"rnsj 1/4 Fke CyM fjysku ; k muds ifr@iRuh 1/2 i [k.Mh; vf/kdkjh] voj vfHk; Urk] l gk; d vfHk; Urk] vf/k"kkI h vfHk; Urk , oa v/kh{k.k vfHk; Urk ds in ij dk; Z l s l EcflU/kr [k.M vfFok oRr ea vki hu gks\$ dks dk; Z djus dh vuqfr ugha inku dh tk; schA fufonknkrk/vka dks bl l EcU/k ea uke rFk in l fgr dk; j r fj"rnsj dk "ki Fki = i Lr q djuk vfuok; Z gksk] tks fd [k.M vfFok oRr eadk; j r g\$
- 14- dkbZ Hkh jktif=r vf/kdkjh vfFok jkT; l jdkj@dlnh; l jdkj ds vfHk; U=.k foHkkx i z'kkI fud l ok ea r\$kr gks vfFok mudh l ok fuoRr dh vof/k nks o'kz l s de dks dk; Z djus dh vuqfr fcuk jkT; l jdkj@dlnh l jdkj dh i wZ vuqfr ds ughanh tk; schA ; fn dkbZ l ok fuoRr vfHk; Urk@vf/kdkjh fcuk l jdkj dh vuqfr ds Bcdnsj ds : i ea dk; Z djrs gq s ik; s tk; s rks l kku ea vkrs gh mudh fufonk rjUr fujLr dj nh tk; schA
- 15- fufonk iã = rFk vl; foj.k t\$ s vgrk dk; Z dh fof"kf'V; k\$ MRbax dk; Z ds f"km; w] fcy vkW DokfUVVh tks dk; Z fd; k tkuk g\$ ds l EcU/k ea vf/k"kkI h vfHk; Urk ds dk; k; ; ea t\$ k fd dkye l 0&8 ea n"kkz k x; k g\$ dks dk; Z l e; 11%00 cts l s 4%00 cts rd fnukad 15-12-2017 l s 26-12-2017 rd n\$ks tk l drs g\$ tks fnukad 15-12-2017 l s ccl kbM ij miyC/k jg\$
- 16- dkbZ Hkh fufonknkrk tks vijkf/kd i' B Hkfe j [krk g\$ og fufonk i f0; k ea Hkkx ugha ys l dsckA
- 17- dkbZ Hkh fufonknkrk tks LVs/cj dkmã fyax ea iã hdr g\$ og fufonk i f0; k ea Hkkx ugha ys l dsckA
- 18- fufonknkrk dks i R; cl fufonk iã = ds l kFk l eL l puk; afu/kkZjr ik: i ij 1/4 h&4] Vh&5] Vh&6 1/2 tek djuk vfuok; Z gksckA
- 19- fufonknkrk/vka dks l puk; a fu/kkZjr ik: i 1/4 uqXud&1 1/2 ij "ki Fki = ds : i ea nsh gkschA fufonk {kerk ds vkadyu grq vko"; d l puk; a l ayXu gksch pkfg; A i R; cl fufonknkrk dks Mkys l s i wZ l r'V gkuk pkfg; s fd ml dh {kerk ml dk; Z dks i wZ djus dh g\$ fufonk {kerk dk vkadyu l 0"ku&3 ea vadr gkuk pkfg; } tks fufonknkrk fufonk {kerk ugha j [krk g\$ dh fufonk fd l h Hkh n"kk ea Lohdkj ugha dh tk; schA
- 20- fufonknkrk dks ckbclj] feDI j] TokbUV dVj] i kuh dk Vndj vkfn dk Lokfero gkuk vko"; d g\$
- 21- fufonknkrk dks Hk\$rd@forrh; l e; c) dk; Døe dk i ek.k i = l ayXu djuk gksckA
- 22- dk; Z fd l h Hkh vl; dks gLrkrfj r ugha fd; k tk; skj] fufonk Lohdfr ds ckn ; fn gLrkrfj r dh fLFkr ik; h tkrh g\$ rks vuqU/k fujLr dj fn; k tk; skA
- 23- fufonk dh ek=k ?KV c<+ l drh g\$
- 24- vf/k"kkI h vfHk; Urk] xkeh.k vfHk; U=.k foHkkx] i [k.M& vks\$ k ea fufonk dks fcuk dkbZ dkj .k crk; a , oa uk\$VI fn; sfujLr djus dk i wZ vf/kdkj fufgr g\$
- 25- l "kr Z fufonk Lohdkj ugha dh tk; schA

vf/k"kkI h vfHk; Urk  
xkeh.k vfHk; U=.k foHkkx  
i [k.M& vks\$ k